



For Emergency Assistance involving chemicals call - CHEMTREC (800) 424-9300

The Version Date and Number for this MSDS is : 10/22/2007 - #014

PRODUCT NAME: FERTI-MELT
MSDS NUMBER: P10379VS
DATE ISSUED: 02/28/2007
SUPERSEDES: 06/28/2003
ISSUED BY: 004988

Material Safety Data Sheet

Section I Product and Company Identification

Product Name: FERTI-MELT

Rite-Kem, Inc.
703 Westmoreland Drive
Tupelo, MS 38801
Phone (800) 841-5351 / (662) 840-6060

Emergencies (800) 424-9300 (CHEMTREC)
Web Site www.ritekem.com
Health Emergencies, Contact Your Local Poison Center

NFPA Code
Health 1 Flammability 0 Reactivity 0 Specific Hazard

Section II Composition / Information On Ingredients

Exposure Limits

Table with 7 columns: Chemical Name, CAS #, OSHA PEL, TLV, TWA, STEL, CEIL. Row 1: Urea, Carbannide, Carbonyldiamide, Carbamidic Acid (1), 57-13-6, 5(2), 10(3), 150 PPM. Row 2: Alkalinity as Ammonia, 150 PPM.

- (1) Nuisance dust 15 Mg/M3(Total)
(2) 5 Mg/M3 Respirable (particulate) Fraction Urea.
(3)10 Mg/M3 inhalable particulate

Section III Hazard Identification

Potential Acute Skin: Repeated or prolonged contact may cause

Health Effects: reddening, itching and inflammation. Ingestion: A single dose of 100 grams has reportedly caused mild symptoms of Central Nervous System depression (e. g. drowsiness and slow reflexes).

Eyes and Skin: Eyes: Severe irritant. Contact with heated material may cause thermal burns. Skin: Slightly irritating. Repeated or prolonged contact may cause reddening, itching and inflammation. Contact with heated material may cause thermal burns.

Inhalation: May cause respiratory tract irritation although no incidents of dust inhalation health effects have been reported

Ingestion: May cause gastrointestinal disturbances. Symptoms may include irritation, nausea, vomiting and diarrhea.

Potential Chronic None known. Urea is a naturally occurring chemical in

Health Effects: the body. It is an end product of protein metabolism and is excreted in the urine.

CARCINOGENICITY LISTS IARC Monograph: No NTP: No OSHA: No

Section IV First Aid Measures

Eyes: Promptly flush with water, continuing for 15 minutes. Eyelids should be held away from the eyeball to Ensure thorough rinsing. If irritation persists, consult a physician immediately. Wash area of contact thoroughly with soap and water. For contact with molten product do not remove clothing.

Skin: Flush skin immediately with cold water. Launder clothing before reuse.

Ingestion: Do not induce vomiting. Keep affected person warm and treat for shock. Get medical attention. A single dose of 100 grams has reportedly caused mild symptoms of Central Nervous System depression (drowsiness, etc.).

Inhalation: Remove affected person from source of exposure. If not breathing, ensure open airway and initiate CPR. If breathing is difficult, administer oxygen; if available get medical attention.

Section V Fire Fighting Measures

Flash Point: Not Applicable Autoignition Temperature: Not Applicable

Lower Explosive Limit: Not Applicable Upper Explosive Limit: Not Applicable

Unusual Fire and Explosion Hazards:

Heating above 270 F decomposes to Biuret, Ammonia, and Nitrogen Oxides.

Short-term exposures to smoke and gases may lead to irreversible lung injury without early signs and symptoms.

Extinguishing Media:

All standard agents are acceptable. Use extinguishing agent suitable for the surrounding fire. Material itself burns with difficulty. Urea becomes slippery when wet. Guard against slips and falls

Special Firefighting Procedures and Equipment:

Irritating toxic substances may be emitted upon thermal decomposition. Exposed firefighters should wear NIOSH approved self contained breathing apparatus with full face piece and full protective clothing. May form explosive mixtures if mixed with strong acid (Nitric/Perchloric). Ventilation: Provide local or general ventilation to keep below nuisance dust limit of 15 mg/m³.

Section VI Accidental Release Measures

Small Spill: If uncontaminated, recover and reuse as product.

Large Spill: Prevent large quantities from contacting vegetation or waterways. Keep animals away from large spills.

Release Notes: If spill could potentially enter any waterway, including intermittent dry creeks, contact the local authorities. If in the U.S., contact the US COAST GUARD NATIONAL RESPONSE CENTER toll free number 800-424-8802. In case of accident or road spill notify: CHEMTREC IN USA at 800-424-9300; CANUTEC in Canada at 613-996-6666 CHEMTREC in other countries at (International code)+1-703-527-3887.

Comments: See Section XIII for disposal information and Section XV for regulatory requirements. Large and small spills may have a broad definition depending on the user's handling system. Therefore, the spill category must be defined at the point of release by technically qualified personnel.

Section VII Handling and Storage

Ventilation: Provide local or general ventilation to keep below nuisance dust limit of 15mg/m³.

Handling: Avoid contact with the eyes. Avoid repeated or prolonged contact with the skin or clothing. Avoid dust inhalation. Contact lenses should not be worn.

Storage: Store in closed containers in cool, dry, isolated, well ventilated area away from heat, sources of ignition, and incompatibles. Avoid contamination with other "look alike" materials that may produce a fire or explosion. Special precautions/ Procedures/ Label instructions: Avoid containers, piping or fittings made of brass, bronze or other copper bearing alloys or galvanized metals.

Section VIII Exposure Controls/ Personal Protection

Engineering Controls: Provide local or general ventilation to keep below nuisance dust limit of 15mg/m³.

Personal Protection:

Eye Protection: Use tight-fitting safety goggles in areas of high dust concentration.

Protective Clothing: Wear safety glasses or chemical goggles to prevent eye contact. Do not wear contact lenses when working with this substance. Have eye wash facilities available where eye contact could occur.

Respiratory Protection: Normally none needed. Use NIOSH approved equipment when airborne dust exposure limits are exceeded. NIOSH approved breathing equipment must be available for non-routine and emergency use.

Other Protective Normally not required

Section IX Physical and Chemical Properties

Appearance/Color/Odor: White solid, spherical or granular shape with slight ammonia odor.

Boiling Point: 135 C (decomposes)

% Volatiles: Not Applicable

Melting Point/Range: 271 F or 133 C

Bulk Density: 44 - 49 lbs/cu ft

Boiling Point Range: Not Applicable

Evaporation Rate: Not Applicable

Solubility in Water: 1,193 g/L at 25 C

pH: 7.2 at 100 g/L

Vapor Pressure (mmHg): 80 Pa at 20 C (calculated)

Freezing Point: Not Applicable

Specific Gravity: Not Applicable

Viscosity: Not Applicable

Molecular Weight: 60.07

Density: 750 kg/m³

Vapor Density: Not Applicable

Section X Stability and Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: May slowly hydrolyze to Ammonium Carbamate after a long period of time which decomposes to Ammonia and Carbon Dioxide.

Materials to Avoid (Incompatibles): Avoid contact with strong oxidizers, acids or bases. Avoid contact with Nitrates. Reacts with Sodium or Calcium Hypochlorite to form explosive Nitrogen Trichloride. Avoid contact with hypochlorites

Hazardous Decomposition Decomposes to Ammonia, Biuret, Nitrogen

Products: Oxides, Carbon Oxides. May react with hypochlorites to form the explosive nitrogen trichloride.

Section XI Toxicological Information

Significant Routes of Exposure:

Eyes, Digestive Tract, Respiratory Tract, Skin

Toxicity to Animals:

Acute Oral Toxicity:

(rat) LD₅₀=14,300-15,000 mg/kg; (mouse) LD₅₀ = 11,500-13,00 mg/kg; (cattle)

LD₅₀ = 510 mg/kg.

Acute Inhalation Toxicity: No data available

Acute Toxicity: Other Routes: No data available
Acute Dermal Toxicity: No data available
Repeated Dose Toxicity: (rat) 24 weeks; dermal NOAEL = 40% in ointment

Eye & Skin Irritation/Corrosion:

Skin Irritation/Corrosion: Mouse Not irritating (10% solution)

Eye Irritation/Corrosion: Rabbit Not irritating (50% solution)

Not found to be toxic by oral exposure as defined by OSHA. Based on toxicity data for another compound (i.e., ammonium nitrate), not expected to be toxic by dermal and inhalation exposure as defined by OSHA.

Bacterial Genetic Toxicity In-Vitro: Gene Mutation: (Salmonella typhimurium) Bacterial reverse mutation assay- Negative; Chinese Hamster – Chromosomal aberration test Positive (very high dose); Mouse Positive (very high dose).

Non-Bacterial Genetic Toxicity In-Vitro: Chromosomal Aberration:

Mouse Bone marrow cytogenetic test Positive (extremely high dose)

Toxicity to Reproduction:

No toxic effects on mouse gonads up to 6,750-mg/kg day. No toxic effects on rat gonads up to 2,250-mg/kg day.

Developmental Toxicity / Teratogenicity:

Not teratogenic.

Other Effects on Humans:

Despite extensive medical use, no significant side effects on humans have been noted.

Special Remarks on Chronic Effects on Humans

No chronic effects known.

Special Remarks on Other Effects on Humans:

May be irritating at > 10% concentration; not a skin sensitizer. Despite extensive medical uses no significant side effects on humans has been noted.

Ecotoxicity:

EPA Ecological Toxicity rating :

Acute Toxicity to Fish:

96 -h:(Barillius barna)LC50 = > 9,100 mg/L.

Chronic Toxicity to Fish:

No data available

Acute Toxicity to Aquatic Invertebrates:

(Daphnia magna): 24 - h EC50: > 10,000 mg/L

Toxicity to Aquatic Plants:

(Scenedesmus quadricauda) 192-hr cell multiplication inhibition test- TT>10,000 mg/L.

Toxicity to Bacteria: (activated sludge):

No data available

Toxicity to Soil Dwelling Organisms:

Applications of nitrogenous fertilizers to grassland for long period may have deleterious effects on earthworms in the absence of liming.

Toxicity to Other Non-Mammalian Terrestrial Species:

(Pigeon)- Subcutaneous-LDLO=16,000 mg/kg. Since Urea is a fertilizer, it may promote eutrophication in waterways. Non-toxic to aquatic organisms as defined by USEPA.

Toxicity to Terrestrial Plants:
7 days exposure to 0 mg urea / leaf - leaf-tip necrosis

Environmental Fate:
Stability in Water:
T_{1/2} > 1 year.

Stability in Soil:
No data available

Transport and Distribution:
0.16% in air; 99.84% in water (calculated (Fugacity Level I))

Toxicity:
Non-toxic to aquatic organisms as defined by USEPA. No known toxicity

Degradation Products:
Biodegradation:
Ultimately biodegradable (OECDTG 302B) 93-98% (SCAS 24 hr)

Photodegradation:
No data available

Section XIII Disposal Considerations

Product Disposal: Disposal of Urea may be subject to federal, state or local regulations.

General Comments: Users of this product should review their operations in terms of applicable federal, state and local laws and regulations, then consult with appropriate regulatory agencies before discharging or disposing of waste material.

Section XIV Transportation Information

	USDOT	TDG - Canada
Proper Shipping Name:	Not Regulated	Not Regulated
Hazard Class:		
Identification Number:		
Packing Group (Technical Name):		
Labeling / Placarding:		
Authorized Packaging:		
Notes:		
European Transportation:	If shipping internationally, notate Urea as Cabamidic Acid.	

Section XV Regulatory Information

UNITED STATES: SARA Hazard Category:

This product has been reviewed according to the EPA Hazard Categories promulgated under Section 311 and 312 of the Superfund Amendment and reauthorization Act of 1986 (SARA title III) and is considered, under applicable definitions, to meet the following categories:

Pressure

Fire: No Generating: No Reactivity: No Acute: Yes Chronic: No

40 CFR Part 355 - Extremely Hazardous Substances:	None
40 CFR Part 370 - Hazardous Chemical Reporting:	Applicable
All intentional ingredients listed on the TSCA inventory.	

SARA Title III Information:

This product contains the following substances subject of the reporting requirements of Title III (EPCRA) of the Superfund amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Chemical	CAS NO.	Percent by Weight	CERCLA RQ (lbs)*	SARA (1986) Reporting		
				311	312	313
Urea	57-13-6	97.5 - 99.7	NA	Yes	Yes	.. NA

CERCLA/Superfund, 40 CFR Parts 117, 302:

If this product contains components subject to substances designated as CERCLA reportable Quantity (RQ) Substances, it will be designated in the above table with the RQ value in pounds. If there is a release of RQ Substance to the environment, notification to the National response Center, Washington D.C. (1-800-424-8802) is required.

CANADA:

WHMIS Hazard Symbol and classification: This product is not WHMIS controlled

Ingredient Disclosure List This product does not contain ingredient(s) on this list.

Environmental Protection: All intentional ingredients are listed on the DSL (Domestic Substance List).

EINECS#: (Urea) 200-315-5

California: Prop 65: This is not a chemical known to cause cancer, nor is it listed.

Section XVI Other Information

NFPA Hazard Ratings:

Health: 1 Fire: 0 Reactivity: 0 Special Hazards:

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

COMMENTS:

This product is TSE/BSE (Transmissible Spongiform Encephalopathy/Bovine Spongiform Encephalopathy) free. There are no animal constituents used in the manufacture of Urea, Dry for PCS Sales (USA) Inc. Our product is created through a chemical process.